





Journal of Science and Technological Researches

A Peer Reviewed Journal Origin of I nnovation Domain: www.jstr.org.in, Email: editor@jstr.org.in

GLOBAL REVOLUTION OF RENEWABLE ENERGY AND ENERGY PERFORMANCE TECHNOLOGIES

Vinay Dua*

Head, Department of Physics, R.S.M. College, Dhampur (Bijnor) Uttar Pradesh, INDIA * Corresponding Author Email: drvinaydua123@gmail.com

0_0 :::::	Date of Received	10 September, 2017
Ð	Date of Acceptance	25 September, 2017
\odot	Date of Publication	1 October, 2017
(::)	No. of Reviews	2

To link to this article: http://jstr.org.in/downloads/pub/v1/i4/3.pdf

"together we can and we will make a difference"

GLOBAL REVOLUTION OF RENEWABLE ENERGY AND ENERGY PERFORMANCE TECHNOLOGIES

Vinay Dua*

Head, Department of Physics, R.S.M. College, Dhampur (Bijnor) Uttar Pradesh, INDIA Email: drvinaydua123@gmail.com

ABSTRACT

Electricity consumption will comprise an increasing share of global energy demand during the next two decades. In recent years, the increasing prices of fossil fuels and concerns about the environmental consequences of greenhouse gas emissions have renewed the interest in the development of alternative energy resources. In particular, the Fukushima Daiichi accident was a turning point in the call for alternative energy sources. Renewable energy is now considered a more desirable source of fuel than nuclear power due to the absence o frisk and disasters. Considering that the major component of greenhouse gases is carbon dioxide, there is a global concern about reducing carbon emissions. In this regard, different policies could be applied to reducing carbon emissions, such as enhancing renewable energy deployment and encouraging technological innovations. Two main solutions may be implemented to reduce CO_2 emissions and overcome the problem of climate change: replacing fossil fuels with renewable energy sources as much as possible and enhancing energy efficiency. In this paper, we discuss alternative technologies for enhancing renewable energy deployment and energy deployment and energy use efficiency. JEL Classification: D61, D62, H23, N50, O13, Q52, Q55

Keywords: Energy Resources, Renewable Energy, Energy Use Efficiency, Generation Technology, Carb on Emission, Green Employment.

INTRODUCTION

Considering that the major component of greenhouse gases (GHGs) is carbon dioxide, there is a global concern about reducing carbon emissions. In this regard, different policies could be applied to reduce carbon emissions, such as enhancing renewable energy deployment and encouraging technological innovations. In addition, supporting mechanisms, such as feed-intariffs, renewable portfolio standards and tax policies, are employed by governments to develop renewable energy generation along with implementing energy use efficiency for saving energy .Many countries have started to install facilities that use renewable energy sources for power generation. The importance of alternative energy sources comes together with climate change challenges associated with the excessive use of fossil fuels. There are three primary motivators that the growth of renewable energy stimulate technologies: energy security, economic impacts and carbon dioxide emission reduction. The term "alternative energy" refers to any form of energy other than the conventional sources of energy, including

hydropower. In recent years the focus has been on renewable energy sources. IEA (2012d) refers to two significant global trends that should characterize the deployment of renewable technologies over the medium term. First, as renewable electricity technologies scale up, from a total global supply of 1,454 gigawatts (GW) in 2011 to 2,167 GW in 2017, they should also spread out geographically. Second, the more recent years of high fossil fuel energy use has led renewable technologies to become increasingly competitive on a cost basis with their alternatives in a number of countries and circumstances. According to IEA calculations, wind is the most competitive type of renewable energy technology among the other options, if local conditions such as financing, CO₂ emission levels and fossil fuel prices prove favorable (OECD, 2010). When talking about clean technologies, there are two primary concepts of energy technologies: energy supply technologies, which refers to alternative sources of renewable energy (e.g., wind and solar power), and energy efficiency technologies, or those technologies which are hired to enhance energy use

efficiency, (e.g., combined heat and power (CHP), virtual power plants (VPP) and smart meters). It should be noted that transforming the energy sector and replacing conventional energy with renewable energy is evolutionary associated with technological change and forming markets. Jacobson and Bergek (2004) indicate that the transforming process for certain forms of renewable energy, such as wind and solar, will happen after 2020, even if the growth rate of consumption is strongly increasing over the next decade. Also, renewable energy markets are not easily formed due to cost disadvantages and the subsidizing of fossil fuels.

The remainder of this study proceeds as follows. In Section 2 we present the different renewable energy supply technologies including solar, wind and hydro power, geothermaland other sources. In Section 3 different energy use efficiency technologies are discussed. These include electric vehicles, combined heat and power, virtual power plants and the application of smart meters. The final section provides a summary and concludes.

Renewable Energy Supply Technologies

The renewable energy supply is continuously increasing. A large amount of investment has been made during recent years and the advancement of technology has enabled countries to produce renewable energy more cost effectively. It is forecasted that the number of countries producing above 100 megawatts (MW) of renewable energy will increase significantly by 2017 (IEA, 2012d). Due to some negative and irreversible externalities coming with conventional energy production, it is necessary to promote and develop renewable energy supply technologies. These technologies may not be comparable with conventional fuels in terms of production cost, but they could be comparable if we consider their associated externalities, such as their environmental and social effects. Also, it should be noted that economies of scale could play a key role in reducing the unit production cost. Transmission and distribution costs, as well as technologies, do not differ much among the conventional and renewable energies. Below we present facts about the development of the main renewable energy supply technologies.

- 1-Hydro power
- 2-Wind Power
- 3-Solar Power

4-Geothermal

5 -Other renewable sources

Energy efficiency technologies

As previously mentioned, there are two main solutions to reducing CO2 emissions and to overcoming the climate change problem: replacing fossil fuels with renewable energy sources as much as possible and through enhancing energy efficiency. We discussed the state of the art methods for technical and economic feasibility of expanding the use renewable energy sources and the possibility of substitution in the first part of this review. In this part follows, we discuss energy efficiency that technologies. Energy efficiency for an electricity network could be considered in different stages, such as the power generation, transmission, distribution and consumption. The different technologies that are currently available include electric vehicles (EV), combined heat and power (CHP), virtual power plants (VPP) and smart grids, each of which are given below:-

- 1-Electric Vehicles
- 2-Combined Heat and Power
- 3-Virtual Power Plant
- 4-Smart meter

Main drivers for using renewable energy technologies

- 1- Energy security
- 2- Economic impacts
- 3- CO₂ emission reduction

SUMMARY AND CONCLUSION

Ongoing concerns about climate change have made renewable energy sources an important component of the world energy consumption portfolio. Renewable energy technologies could reduce carbon dioxide emissions by replacing fossil fuels in the power generation industry and the transportation sector. Due to negative and irreversible externalities in conventional energy production, it is necessary to develop and promote renewable energy supply technologies. Power generation using renewable energy sources should be increased in order to decrease the unit cost of energy and to make them compatible with a competitive alternative to the conventional energy sources. Two main solutions may be implemented to reduce CO_2 emissions and to overcome the problem of climate change: replacing fossil fuels with renewable energy sources as much as possible and enhancing energy efficiency regardless of type. In this review, we considered hydro, wind, solar and geothermal sources, because of their significant contribution to power generated by renewable sources. Renewable energy production and supply is continuously increasing on the global level.

The drastic increase in oil price and its impacts on both coal and gas prices, a large amount of investment has been made over recent years in renewable energy. These advancements in technology have enabled countries to produce renewable energy in larger quantities and more cost effectively. Due to negative irreversible externalities associated and with conventional energy extraction and consumption, it is necessary to promote and develop renewable energy supply and consumption. The IEA forecasts positive developments in renewable energy sources. They act as substitutes for fossil fuels and reduce emissions. In the short term, some renewable technologies may not be comparable to conventional fuels in the scope of production costs and transmission, but they could be comparable if we consider their associated positive externalities, such as their environmental and social effects. Also, it should be noted that economies of scale could play a key role in reducing the unit cost of production. Transmission and distribution costs and technologies do not differ much among the conventional and renewable energy sources. In this review we have presented detailed facts about the main renewable energy supply technology developments, including hydro, wind, solar, and geothermal in detail and other sources such as biomass, ocean waves and tides in brevity. The emphasis has been on current production capacity and the estimated capacity, as well as development costs which are sunk. We have also presented empirical findings from comparative studies of alternative energy technologies. Hydro power is the largest renewable energy source for power generation around the world. Despite its large energy generation contribution, its development is difficult due to a high initial fixed investment cost and environmental and population relocation costs. Hydro power is attractive due to a combined supply of water for agriculture, household, recreation and industrial use. Additionally,

it can store water and energy that can be used for both base and peak load power generations. The availability of funding, political and market risks, resource allocation priorities and local environmental concerns are considered to be barriers to the development of hydro power capacity. The installed wind power capacity has also been increasing, especially in countries like China, the US, Germany and Denmark. Advantages of wind power plants include the installation as turnkey contracts within a short period, a lower investment compared to nuclear and hydroelectric plants, economies of mass production, an absence of fuel costs and low operation and maintenance costs. The problems associated with the use of wind power include intermittency of wind energy and an added cost for power transmission to users. Generation cost is dependent on location, feasibility and the minimum required speed for wind turbines. China has developed its own solar power capacity, decreasing the cost of generation due to the availability of cheap labor and public subsidies. Another source of the reduced costs is in advances and the high efficiency in concentrated solar power technologies in the US. The negative effects include land, material and chemical use and impacts on buildings' esthetics. The performance is dependent on location. Geothermal energy has been used throughout history for bathing, heating and cooking. The geothermal gradient and permeability of rocks determines its economic implementation feasibility. Unlike wind and solar power, geothermal is continuously available through the year, although technology has some negative environmental effects. Improved energy efficiency is an important way to reduce energy use, and thereby CO₂ emissions, and to overcome the climate change problem. We discussed state of the art methods for the technical and economic feasibility in the implementation of renewable energy sources, as watell as the possibility of their combined use and substitution in the first part of this review. In the latter part we discussed energy efficiency technologies. Energy efficiency for electricity networks can be considered in different stages, such as power generation, transmission, distribution and consumption. For this purpose, different energy 30 efficiency technologies are

available, including electric vehicles, combined heat and power, virtual power plants and smart grids. Each of these technologies were discussed in detailed and their performances compared. Electric vehicles have the potential to be used for both power generation and storage. Given the fact that transportation is a main contributor to the problem of emissions, improving fuel efficiency with the adoption of electric vehicle technology on a large scale will enable greater energy savings and CO₂ reductions. Advances in smart grid technology impact the large scale use of electric vehicles and enhance the efficiency of the technology. However, managing load and supply fluctuations is a challenge. Combined heat and power technologies provide substantial gains in efficiency. The technology offers an efficiency use of fuel by preventing the discarding energy as waste heat. A significant part of waste heat can be transformed into a product for heating buildings, adding to its economic value and improving energy efficiency. A virtual power plant is a cluster of distributed energy resources controlled and managed by a central control unit, allowing for the possibility to control home appliances to optimize load reductions. It helps to combat the energy waste problem due to distance and transmission losses. The driving force for using renewable energy technologies are energy security, economic impacts, and CO₂ emission reduction. The level of insecurity is reflected by the risk of supply disruption and the estimated costs of security itself. The emphases for the economic impacts are job

REFERENCES

- [1]. Bhattacharyya, S. C. (2011).Energy Economics: Concepts, Issues, Markets and Governance:31,Springer.
- [2]. Branker, K., Pathak, M., & Pearce, J. (2011). A review of solar photovoltaic levelized cost of electricity. Renewable and Sustainable Energy Reviews, 15(9), 4470-4482.
- [3]. Connolly, D., Lund, H., Finn, P., Mathiesen, B V., & Leahy, M. (2011). Practical operation strategies for pumped hydroelectric energy storage (PHES) utilising electricity price arbitrage. Energy Policy, 39(7), 4189-4196.

creation, industrial innovation and balance of payment. Renewable energy technologies could enable countries with good solar or wind resources to implement these energy sources to meet their own domestic demand. Moreover, the cost of importing fuels can affect economic growth. If these countries could reduce their balance of payment by producing their own renewable energy to replace their dependence on fossil fuels, they could expand their capacity for investment in other sectors. Renewable energy technologies could reduce carbon dioxide emissions by replacing fossil fuels in the power generation industry and transportation sector. Lifecycle CO₂ emissions for renewable energy technologies are much lower than fossil fuels.

This review of renewable energy generation and efficiency technologies has provided detailed and useful information that can be used in the decision making of different stakeholders in the rapidly developing market. Each technology has both advantages and is advantages that vary by location, availability, the technological capability of producers, financial limitations and environmental considerations. Each municipality, region or country has different initial conditions that determine the energy mix that can be produced at the lowest cost while minimizing the harm done to the environment. Thus, there is no single solution to every energy need and problem, but rather an optimal location specific solution among a set of possible renewable solutions

- [4]. Deane, J P., Ó Gallachóir, B., &McKeogh, E. (2010). Techno-economic review of existing and new pumped hydro energy storage plant. Renewable and Sustainable Energy Reviews, 14(4), 1293-1302.
- [5]. Depuru, S.S.S.R., Wang, L., &Devabhaktuni, V. (2011). Smart meters for power grid: Challenges, issues, advantages and status. Renewable and Sustainable Energy Reviews, 15(6), 2736-2742
- [6]. Faruqui, A., Harris, D., &Hledik, R. (2010). Unlocking the€53 billion savings from smart meters in the EU: How increasing the adoption of dynamic tariffs could make or break the

EU's smart grid investment. Energy Policy, 38(10), 6222-6231.

- [7]. Frick, S., Kaltschmitt, M., &Schröder, G. (2010). Life cycle assessment of geothermal binary power plants using enhanced low-temperature reservoirs. Energy, 35(5), 2281-2294. Fridleifsson, I.B., &Freeston, D.H. (1994).Geothermal energy research and development. Geothermics, 23(2), 175-214.
- [8]. Frondel, M., Ritter, N., Schmidt, C. M., & Vance, C. (2010). Economic impacts from the promotion of renewable energy technologies: The German experience. Energy Policy, 38(8), 4048-4056.
- [9]. Gevorkian, P. (2012).Large Scale Solar Power Systems: Construction and Economics: Cambridge University Press.
- [10]. Heshmati A. (2014), "Demand, Customer Base-Line and Demand Response in the Electricity Market: A Survey", Journal of Economics Surveys 28(3).
- [11]. IEA. (2012a). Energy Technology Perspectives 2012: OECD Publishing.IEA. (2012b).

Medium-Term Renewable Energy Market Report 2012: OECD Publishing.

- [12]. Kaya, E., Zarrouk, S.J., & O'Sullivan, M.J.
 (2011). Reinjection in geothermal fields: Areviewof worldwide experience. Renewable and Sustainable Energy Reviews, 15(1), 47-68.
- [13]. Martinot, E., &Sawin, J. (2012).Renewables global status report: 2012 update. McHenry, M.P. (2013). Technical and governance considerations for advanced metering infrastructure/smart meters: Technology, security, uncertainty, costs, benefits, and risks. 34Energy Policy.
- [14]. McKenna, E., Richardson, I., & Thomson, M. (2012). Smart meter data: Balancing consumer privacy concerns with legitimate applications. Energy Policy, 41, 807-814.
- [15]. Monteiro, C., Ramirez-Rosado, I.J., & Fernandez-Jimenez, L.A. (2013). Short-term forecasting model for electric power production of small-hydro power plants. Renewable Energy, 50, 387-394.

caterocaterocaterocaterocaterocaterocaterocaterocaterocaterocaterocaterocaterocateroca